

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE 1 OF 1 PAGES	
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE May 30, 2001		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable) NAS WHIDBEY ISLAND	
6. ISSUED BY CODE		SP0600		7. ADMINISTERED BY (If other than Item 6) CODE			
Attn: Brenda Hall/DESC-FPB/Suite 2945 Defense Energy Support Center 8725 John J. Kingman Rd. Ft. Belvoir, VA 22060-6222 Ph: 703-767-9342 Fax: 703-767-9338 6.3							
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(X) 9A. AMENDMENT OF SOLICITATION NO. SP0600-01-R-0062			
				9B. DATED (SEE ITEM 11) APRIL 20, 2001			
				10A. MODIFICATION OF CONTRACT/ORDER NO.			
				10B. DATED (SEE ITEM 13)			
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended, ☐ is not extended.

Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting and Appropriation Data (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(X)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc). SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

- Under referenced solicitation the closing date has been revised to June 11, 2001; 3:00 p.m., local Alexandria, VA time.
- As discussed at the Pre-Proposal Conference on May 22, 2001, Section C-1.15, Operating Hours and Exhibit B-1, Contractor Furnished Equipment for the current contract are hereby attached. This is provided for information only and is not part of this solicitation.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY	16C. DATE SIGNED
(Signature of person authorized to sign)		(Signature of Contracting Officer)	

NSN 7540-01-152-9070

PREVIOUS EDITION UNUSABLE

PerFORM (DLA)

STANDARD FORM 30 (REV. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

C-1.15 OPERATING HOURS.

C-1.15.1 NORMAL OPERATING HOURS. Normal facility hours of operation are listed as follows:

NOTE

The Contractor shall submit an organization plan which includes the planned manning level for each time increment included in the Table C-1.15.1, Normal Operating Hours.

TABLE C-1.15.1, NORMAL OPERATING HOURS/MINIMUM MANNING							
FUNCTION		HOURS (2)	MINIMUM MANNING (1)				NOTES
			MON... ...THUR	FRI	SAT	SUN HOL	
a	Manager	0730-1600	1	1	On Call	On Call	(3)
b	Assistant Manager	0730-1600	1	1	On Call	On Call	(4)
c	Aircraft Servicing Operations	0000-0800	1	1	1	1	(5)
d	Aircraft Servicing Operations	0800-0900	2	2	1	1	
e	Aircraft Servicing Operations	0900-1200	3	3	1	1	
f	Aircraft Servicing Operations	1200-1600	3	3	1	1	
g	Aircraft Servicing Operations	1600-1700	3	3	1	1	
h	Aircraft Servicing Operations	1700-2200	3	3	1	1	
i	Aircraft Servicing Operations	2200-2400	3	3	1	1	
j	Dispatch	0800-1600	1	1			(6)
k	Dispatch	1600-2400	1	1			
l	Storage & Distribution System	0730-1600	3	3			(7)
m	Receipts by Barge	0730-1600	2	2			(8)
n	Receipt by Tank Truck	0730-1600	1	1			(8)
o	Service Station Operations	0000-2400					(9)
p	Ground Fuel Delivery	0830-0900	1	1			(10)(11)
q	Ground Fuel Delivery	0900-1100	1	1	1		(12)
r	Ground Fuel Delivery	1100-1600	1	1			
s	Ground Fuel Delivery	1600-1630	1	1	1		(12)
t	Ground Fuel Delivery	1630-1800					
u	Ground Fuel Delivery	1800-2200					
v	Ground Fuel Delivery	2200-2300	1	1			(12)
w	Fuel Oil #2 Deliveries	0730-1600	1	1			(13)
x	Vacuum Truck Operations	0000-2400					(14)

NOTE

The minimum manning levels specified in Table C-1.15.1 above do not relieve the contractor of the requirement to staff to ensure that all services and workloads specified in this PWS are accomplished within the time frames specified.

NOTES:

- (1) Columns indicate the minimum manning for the function and hours indicated. Minimum manning is the lowest acceptable manning position regardless of workload.
- (2) Column indicates the hours a function normally operates or those hours that services are available to customers. The opening hour specifies the time at which services shall be available.
- (3) The Contractor shall have a full time manager, qualified in accordance with Section C-1.4.1, on site.
- (4) The Contractor shall have a full time assistant manager as described in Section C-1.4.2. He/she shall be authorized to act on behalf of the manager in his/her absence, i.e., sick and vacation leave.
- (5) Manning levels shall not be less than the number of qualified operators specified within Table C-1.15.1 above.
- (6) During the days and times noted, the dispatch function shall be manned by a qualified individual. During the times a dispatcher is not specified, dispatch duties may be undertaken and logs kept by a qualified driver/operators who can be contacted at the main dispatch number or by cellphone (number to be published).
- (7) One (1) lead storage operator and two (2) storage operators qualified per Section C-1.4.3.
- (8) These operators are not additive to those identified by line "m" of the table.
- (9) The Contractor shall man the base service station, building 2702A, in the event the automated dispensing system/equipment become unserviceable. Manual hours of operation shall be determined by the base/COR and posted accordingly.
- (10) Delivery schedules of ground fuels, gasoline, diesel, burner oil and JP5/8 used in lieu of diesel and burner oil, shall be established by the Government. Servicing of ground support equipment (GSE) with JP5/8 shall not interfere the servicing of aircraft unless otherwise directed by the COR.
- (11) For deliveries off station (the use of public roads), both the driver and equipment used shall be licensed in accordance with the vehicle operating code and laws applicable to the State of Washington.
- (12) Saturday 0900-1100 and 1600-1630 and Monday thru Friday 2200-2300 manning not additive to line "e": thru "i" above.
- (13) Deliveries of burner oil #2 to seventeen (17) established locations and JP8 to the heating plant, building shall be by automatic fill schedule or service call basis.
- (14) The Contractor shall operate a Government furnished vacuum truck as required. The driver tasked for such duties shall be licensed in accordance with the vehicle operating code and laws applicable to the State of Washington.

EXHIBIT B-1 CONTRACTOR FURNISHED EQUIPMENT

Contractor furnished equipment. The contractor shall furnish all equipment and supplies to be used in the performance of this contract not specified as government furnished. The installation Commanding Officer may, at any time, designate the product for which refuelers will be used, provided the designation does not require the contractor to furnish a greater number of trucks.

NOTE

The contingency plan developed in accordance with Section C-1.9 shall ensure all operational requirements will be satisfied when the contractor's equipment is inoperable.

CONTRACTOR FURNISHED EQUIPMENT			
Equipment	Minimum Capacity (Gallons) (1)	Minimum Number of Units	Notes
JP-5 Refueler	8,000	3	(2)(3)(4a)(4b)(5)
JP-8 Refueler	8,000	2	(2)(3)(4c)(5)
Ground Fuel Truck (MUM/DL2)	1,000/1,000	1	(2)(5)
Ground Fuel Truck (FS2)	2,000	1	(2)(5)
Contaminated Fuel Truck	5,000	1	(2)(5)
Utility Vehicle, ½ Ton Pickup	N/A	3	(6)

NOTE

The minimum number of units specified above does not relieve the contractor of the requirement to furnish a sufficient number of units to ensure that all services specified in this PWS are accomplished within the time frames specified.

NOTES:

- (1) Nominal capacity as defined be 49 CFR 178-345.
- (2) The Contractor shall submit a list of the size and number of refuelers and ground products delivery units to be used in the performance of this contract. In addition, the Contractor shall submit an organization plan which includes the planned manning level for these units during each time increment included in Table C-1.15.1.
- (3) Two (2) JP-5 and two JP-8 refueler shall be configured as and designated refueler/defuelers. They shall be equipped with a high level (full tank) audible/visual alarm device that remains on and functional during the entire defuel operation.

(4) Hose configuration:

(a) Two (2) of the JP-8 refuelers shall be configured with a two (2) each two inch by sixty foot (2" X 60' minimum) single point servicing hoses.

(b) One (1) of the JP-8 refuelers shall be configured with a two inch by sixty foot (2" X 60' minimum) single point servicing hose and a one and one-half inch by fifty foot (1.5" X 50' minimum) overwing servicing hose.

(c) All four (4) of the JP-5 refuelers shall be configured with a two inch by fifty foot (2" X 50' minimum) single point servicing hose and a one and one-half inch by fifty foot (1.5" X 50' minimum) overwing servicing hose.

(5) Aviation and ground fuel servicing trucks specified for use on public highways shall be licensed in accordance with the State of Washington vehicle licensing code, laws and regulations. Drivers tasked to operate these vehicles on public roads shall be licensed accordingly.

(6) For contractor shall furnish utility vehicles (pickups), see NACFAC P-300, Appendix G, Transportation Equipment Code Index and Table of Life Expectancies for Automotive and Construction Equipment. Utility vehicles provided under this contractor shall not exceed the life expectancy of an equivalent type vehicle in the last year of the contract and short extensions thereto.